


## GF Silenta premium elbow 45deg 110mm

1146306

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium elbow 45deg

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium elbow 45deg 110mm

1146306



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652133454
Item no GF	4501111030221
Item no GTIN	08698652133454
Item no VVS	186833016

### Dimensions

Item Unit Height	192
Item Unit Length	135
Item Unit Weight	0,73
Item Unit Width	165
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900600545
Packaging GTIN PL2	06414900199803
Packaging GTIN PL3	06414900341332
Packaging GTIN PL4	06414900214339
Packaging Height PL1	192
Packaging Height PL2	165
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	540
Packaging Length PL3	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL3	20
Packaging Quantity PL4	240
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0042768
Packaging Volume PL2	0,0147015
Packaging Volume PL3	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	0,73
Packaging Weight PL2	2,92
Packaging Weight PL3	14,6
Packaging Weight PL4	200,2
Packaging Width PL1	165
Packaging Width PL2	165
Packaging Width PL3	390
Packaging Width PL4	800

## Measurements

Z Measurement e	5,3
-----------------	-----

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)