Product data sheet




GF Silenta Premium elbow 67,5° 110mm

1146307

- Light gray, PP-material with inorganic filler, according to EN 1451





Application information GF Silenta Premium elbow 67,5°

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories


Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium elbow 67,5° 110mm

1146307





Status

Item Available From date	2026-02-01

Product code

Item no EAN	8698652133461
Item no GF	4501111030321
Item no GTIN	08698652133461
Item no VVS	186832016

Dimensions

Item Unit Height	195
Item Unit Length	135
Item Unit Weight	0,691
Item Unit Width	177
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900599023
Packaging GTIN PL2	06414900199827
Packaging GTIN PL3	06414900341349
Packaging GTIN PL4	06414900214346
Packaging Height PL1	195
Packaging Height PL2	177
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	270
Packaging Length PL3	590
Packaging Length PL4	1200

Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	16
Packaging Quantity PL4	192
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004659525
Packaging Volume PL2	0,00845883
Packaging Volume PL3	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	0,691
Packaging Weight PL2	1,382
Packaging Weight PL3	11,056
Packaging Weight PL4	157,672
Packaging Width PL1	177
Packaging Width PL2	177
Packaging Width PL3	390
Packaging Width PL4	800

Measurements

Z Measurement d	110
Z Measurement d1	110,5
Z Measurement e	4,9
Z Measurement L1	58
Z Measurement LB	180,9

Documents

Page with all documents

Excellence in Flow

Visit our webpage to get in contact with your local specialist:
www.georgfischer.com/locations



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E communications@georgfischer.com

www.uponor.com

+GF+