


GF Silenta Premium elbow 15° 160mm

1146318

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium elbow 15°

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium elbow 15° 160mm

1146318



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652133539
Item no GF	4501116030021
Item no GTIN	08698652133539
Item no VVS	186835018

Dimensions

Item Unit Height	223
Item Unit Length	188
Item Unit Weight	1,097
Item Unit Width	197
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900602020
Packaging GTIN PL2	06414900341455
Packaging GTIN PL4	06414900214483
Packaging Height PL1	223
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	188
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	96
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,008259028
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	1,097
Packaging Weight PL2	8,776
Packaging Weight PL4	130,312
Packaging Width PL1	197
Packaging Width PL2	390
Packaging Width PL4	800

Measurements

Z Measurement d	160
Z Measurement e	5,3
Z Measurement L1	77

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com