

## GF Silenta premium elbow 30deg 160mm

**1146319**

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium elbow 30deg

#### Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium elbow 30deg 160mm

1146319



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652133546

Item no GF 4501116030121

Item no GTIN 08698652133546

Item no VVS 186834018

### Dimensions

Item Unit Height 241

Item Unit Length 188

Item Unit Weight 0,898

Item Unit Width 214

Item\_UOM pce

### Packaging

Packaging GTIN PL1 06414900602037

Packaging GTIN PL2 06414900341462

Packaging GTIN PL4 06414900214490

Packaging Height PL1 241

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 188

Packaging Length PL2 590

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 8

Packaging Quantity PL4 96

Packaging Type PL1 Piece

Packaging Type PL2 Medium\_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,009695912
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	0,898
Packaging Weight PL2	7,184
Packaging Weight PL4	111,208
Packaging Width PL1	214
Packaging Width PL2	390
Packaging Width PL4	800

### Measurements

Z Measurement e	5,3
-----------------	-----

### Documents

Page with all documents



#### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)