

GF Silenta premium branch 45deg 58-58mm

1146328

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium branch 45deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium branch 45deg 58-58mm

1146328



Status

Item Available From date

2026-02-01

Product code

Item no EAN

8698652133591

Item no GF

4501205830021

Item no GTIN

08698652133591

Item no VVS

186843012

Dimensions

Item Unit Height

205

Item Unit Length

77

Item Unit Weight

0,44

Item Unit Width

155

Item_UOM

pce

Measurements

Length (l2)

52

Z Measurement d2

58

Z Measurement e

4,1

Packaging

Packaging GTIN PL1

06414900599122

Packaging GTIN PL2

06414900200097

Packaging GTIN PL3

06414900341554

Packaging GTIN PL4

06414900214582

Packaging Height PL1

205

Packaging Height PL2

155

Packaging Height PL3

360

Packaging Height PL4

1200

Packaging Length PL1

77

Packaging Length PL2

154

Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	18
Packaging Quantity PL4	432
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002446675
Packaging Volume PL2	0,00369985
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,44
Packaging Weight PL2	0,88
Packaging Weight PL3	7,92
Packaging Weight PL4	215,08
Packaging Width PL1	155
Packaging Width PL2	155
Packaging Width PL3	290
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com