

GF Silenta premium branch 45deg 78-58mm

1146336

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium branch 45deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium branch 45deg 78-58mm

1146336



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652133621

Item no GF 4501207830021

Item no GTIN 08698652133621

Item no VVS 186843175

Dimensions

Item Unit Height 203

Item Unit Length 100

Item Unit Weight 0,56

Item Unit Width 175

Item_UOM pce

Measurements

Length (l2) 52

Z Measurement d2 58

Z Measurement e 4,6

Packaging

Packaging GTIN PL1 06414900598842

Packaging GTIN PL2 06414900200226

Packaging GTIN PL3 06414900050227

Packaging GTIN PL4 06414900214667

Packaging Height PL1 203

Packaging Height PL2 175

Packaging Height PL3 360

Packaging Height PL4 1200

Packaging Length PL1 100

Packaging Length PL2 200

Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	12
Packaging Quantity PL4	288
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0035525
Packaging Volume PL2	0,006125
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,56
Packaging Weight PL2	1,12
Packaging Weight PL3	6,72
Packaging Weight PL4	186,28
Packaging Width PL1	175
Packaging Width PL2	175
Packaging Width PL3	290
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com