

## GF Silenta premium branch 45deg 90-90mm

**1146350**

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium branch 45deg

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium branch 45deg 90-90mm

1146350



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN	8698652133690
Item no GF	4501209030121
Item no GTIN	08698652133690
Item no VVS	186843014

### Dimensions

Item Unit Height	250
Item Unit Length	112
Item Unit Weight	0,96
Item Unit Width	216
Item_UOM	pce

### Measurements

Length (l2)	60
Z Measurement d2	90
Z Measurement e	4,7

### Packaging

Packaging GTIN PL1	06414900598941
Packaging GTIN PL2	06414900265393
Packaging GTIN PL3	06414900050364
Packaging GTIN PL4	06414900214810
Packaging Height PL1	250
Packaging Height PL2	216
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	112
Packaging Length PL2	224

Packaging Length PL3	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	14
Packaging Quantity PL4	168
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,006048
Packaging Volume PL2	0,010450944
Packaging Volume PL3	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	0,96
Packaging Weight PL2	1,92
Packaging Weight PL3	13,44
Packaging Weight PL4	186,28
Packaging Width PL1	216
Packaging Width PL2	216
Packaging Width PL3	390
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)