

## GF Silenta premium branch 45deg 110-58mm

**1146374**

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium branch 45deg

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium branch 45deg 110-58mm

1146374



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652133744

Item no GF 4501211030021

Item no GTIN 08698652133744

Item no VVS 186843190

### Dimensions

Item Unit Height 202

Item Unit Length 135

Item Unit Weight 0,98

Item Unit Width 209

Item\_UOM pce

### Measurements

Length (l2) 52

Z Measurement d2 58

Z Measurement e 5,3

### Packaging

Packaging GTIN PL1 06414900598972

Packaging GTIN PL2 06414900265720

Packaging GTIN PL3 06414900050609

Packaging GTIN PL4 06414900215053

Packaging Height PL1 202

Packaging Height PL2 209

Packaging Height PL3 390

Packaging Height PL4 1200

Packaging Length PL1 135

Packaging Length PL2 270

Packaging Length PL3	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	14
Packaging Quantity PL4	168
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00569943
Packaging Volume PL2	0,01179387
Packaging Volume PL3	0,135759
Packaging Volume PL4	1,152
Packaging Weight PL1	0,98
Packaging Weight PL2	1,97
Packaging Weight PL3	13,89
Packaging Weight PL4	189,64
Packaging Width PL1	209
Packaging Width PL2	209
Packaging Width PL3	590
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)