


GF Silenta premium branch radius 87,5deg 110-110-mm

1146386

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium branch radius 87,5deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium branch radius 87,5deg 110-110-mm

1146386



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652147154

Item no GF 4501211031221

Item no GTIN 08698652147154

Item no VVS 186840016

Dimensions

Item Unit Height 267

Item Unit Length 135

Item Unit Weight 1,25

Item Unit Width 211

Item_UOM pce

Measurements

Length (l2) 63

Z Measurement d2 110

Z Measurement e 5,3

Packaging

Packaging GTIN PL1 06414900599412

Packaging GTIN PL2 06414900265911

Packaging GTIN PL3 06414900050722

Packaging GTIN PL4 06414900215176

Packaging Height PL1 267

Packaging Height PL2 211

Packaging Height PL3 390

Packaging Height PL4 1200

Packaging Length PL1 135

Packaging Length PL2 270

Packaging Length PL3	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	8
Packaging Quantity PL4	96
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,007605495
Packaging Volume PL2	0,017091
Packaging Volume PL3	0,135759
Packaging Volume PL4	1,152
Packaging Weight PL1	1,25
Packaging Weight PL2	2,51
Packaging Weight PL3	10,14
Packaging Weight PL4	145
Packaging Width PL1	211
Packaging Width PL2	300
Packaging Width PL3	590
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com