


GF Silenta premium branch radius 87,5deg 110-90mm

1146387

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium branch radius 87,5deg

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium branch radius 87,5deg 110-90mm

1146387



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652147161
Item no GF	4501211031321
Item no GTIN	08698652147161
Item no VVS	186840193

Dimensions

Item Unit Height	241
Item Unit Length	135
Item Unit Weight	1,2
Item Unit Width	207
Item_UOM	pce

Measurements

Length (l2)	60
Z Measurement d2	90
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900599382
Packaging GTIN PL2	06414900265935
Packaging GTIN PL3	06414900050739
Packaging GTIN PL4	06414900215183
Packaging Height PL1	241
Packaging Height PL2	207
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	135
Packaging Length PL2	270

Packaging Length PL3	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL3	8
Packaging Quantity PL4	96
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,006734745
Packaging Volume PL2	0,016767
Packaging Volume PL3	0,135759
Packaging Volume PL4	1,152
Packaging Weight PL1	1,2
Packaging Weight PL2	2,41
Packaging Weight PL3	9,74
Packaging Weight PL4	140,2
Packaging Width PL1	207
Packaging Width PL2	300
Packaging Width PL3	590
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com