

## GF Silenta premium branch 45deg 135-135mm

**1146398**

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium branch 45deg

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium branch 45deg 135-135mm

1146398



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652133898

Item no GF 4501213530221

Item no GTIN 08698652133898

Item no VVS 186843017

### Dimensions

Item Unit Height 343

Item Unit Length 160

Item Unit Weight 2,217

Item Unit Width 303

Item\_UOM pce

### Measurements

Length (l2) 68

Z Measurement d2 135

Z Measurement e 5,3

### Packaging

Packaging GTIN PL1 06414900554107

Packaging GTIN PL2 06414900050845

Packaging GTIN PL4 06414900215299

Packaging Height PL1 343

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 160

Packaging Length PL2 390

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2	2
Packaging Quantity PL4	48
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,01662864
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	2,217
Packaging Weight PL2	4,434
Packaging Weight PL4	131,416
Packaging Width PL1	303
Packaging Width PL2	290
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)