

GF Silenta Premium branch 45° 160-135mm

1146409

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium branch 45°

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium branch 45° 160-135mm

1146409



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652133942
Item no GF	4501216030121
Item no GTIN	08698652133942
Item no VVS	186843199

Dimensions

Item Unit Height	377
Item Unit Length	188
Item Unit Weight	2,26
Item Unit Width	329
Item_UOM	pce

Measurements

Length (l2)	68
Z Measurement d1	160
Z Measurement d2	135
Z Measurement e	5,3
Z Measurement L1	73

Packaging

Packaging GTIN PL1	06414900554732
Packaging GTIN PL2	06414900050951
Packaging GTIN PL4	06414900215404
Packaging Height PL1	377
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	188
Packaging Length PL2	590

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	3
Packaging Quantity PL4	36
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,023318204
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	2,26
Packaging Weight PL2	6,78
Packaging Weight PL4	106,36
Packaging Width PL1	329
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com