

GF Silenta Premium branch 45° 200-135mm

1146419

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium branch 45°

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium branch 45° 200-135mm

1146419



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652133980

Item no GF 4501220030121

Item no GTIN 08698652133980

Item no VVS 186843203

Dimensions

Item Unit Height 482

Item Unit Length 230

Item Unit Weight 3,92

Item Unit Width 369

Item_UOM pce

Measurements

Length (l2) 68

Z Measurement d1 200

Z Measurement d2 135

Z Measurement e 6,2

Z Measurement L1 86

Packaging

Packaging GTIN PL1 06414900554114

Packaging GTIN PL2 06414900051057

Packaging GTIN PL4 06414900215503

Packaging Height PL1 482

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 230

Packaging Length PL2 590

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	2
Packaging Quantity PL4	24
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,04090734
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	3,92
Packaging Weight PL2	7,84
Packaging Weight PL4	119,08
Packaging Width PL1	369
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com