

## GF Silenta Premium branch 45° 200-160mm

1146420

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta Premium branch 45°

#### Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta Premium branch 45° 200-160mm

1146420



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652133997

Item no GF 4501220030221

Item no GTIN 08698652133997

Item no VVS 186843204

### Dimensions

Item Unit Height 482

Item Unit Length 230

Item Unit Weight 5,61

Item Unit Width 400

Item\_UOM pce

### Measurements

Length (l2) 73

Z Measurement d1 200

Z Measurement d2 160

Z Measurement e 6,2

Z Measurement L1 86

### Packaging

Packaging GTIN PL2 06414900051064

Packaging GTIN PL4 06414900215510

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL2 590

Packaging Length PL4 1200

Packaging Quantity PL2 1

Packaging Quantity PL4 12

Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL2	5,71
Packaging Weight PL4	93,52
Packaging Width PL2	390
Packaging Width PL4	800

## Documents

Page with all documents 

### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211  
E  
communications@georgfischer.  
com