


GF Silenta premium access pipe circular 78mm

1146425

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium access pipe circular

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium access pipe circular 78mm

1146425



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652143194
Item no GF	4501307830021
Item no GTIN	08698652143194
Item no VVS	186856013

Dimensions

Item Unit Height	240
Item Unit Length	100
Item Unit Weight	0,71
Item Unit Width	115
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553636
Packaging GTIN PL2	06414900051118
Packaging GTIN PL4	06414900246125
Packaging Height PL1	240
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	100
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	12
Packaging Quantity PL4	288
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,00276
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,71
Packaging Weight PL2	8,52
Packaging Weight PL4	229,48
Packaging Width PL1	115
Packaging Width PL2	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,6
-----------------	-----

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com