


## GF Silenta premium access pipe rectangular 110mm

**1146431**

- Light gray, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta premium access pipe rectangular

#### Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

## GF Silenta premium access pipe rectangular 110mm

1146431



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN 8698652134048

Item no GF 4501311030021

Item no GTIN 08698652134048

Item no VVS 186856016

### Dimensions

Item Unit Height 350

Item Unit Length 155

Item Unit Weight 2,35

Item Unit Width 155

Item\_UOM pce

### Measurements

Length (l2) 220

Length (l3) 140

Z Measurement e 5,3

### Packaging

Packaging GTIN PL1 06414900553278

Packaging GTIN PL2 06414900051170

Packaging GTIN PL4 06414900246194

Packaging Height PL1 350

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 155

Packaging Length PL2 590

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2	10
Packaging Quantity PL4	120
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00840875
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	2,35
Packaging Weight PL2	23,5
Packaging Weight PL4	307
Packaging Width PL1	155
Packaging Width PL2	390
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)