


GF Silenta premium access pipe rectangular 160mm

1146437

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium access pipe rectangular

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium access pipe rectangular 160mm

1146437



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652134086
Item no GF	4501316030021
Item no GTIN	08698652134086
Item no VVS	186856018

Dimensions

Item Unit Height	413
Item Unit Length	210
Item Unit Weight	3,9
Item Unit Width	210
Item_UOM	pce

Measurements

Length (l2)	275
Length (l3)	195
Z Measurement e	5,3

Packaging

Packaging GTIN PL1	06414900554169
Packaging GTIN PL2	06414900051231
Packaging GTIN PL4	06414900246279
Packaging Height PL1	413
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	210
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1

Packaging Quantity PL2	2
Packaging Quantity PL4	24
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0182133
Packaging Volume PL2	0,082836
Packaging Volume PL4	1,152
Packaging Weight PL1	3,9
Packaging Weight PL2	7,8
Packaging Weight PL4	118,6
Packaging Width PL1	210
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com