

GF Silenta premium reducer eccentric 78-50mm

1146448

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium reducer eccentric

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium reducer eccentric 78-50mm

1146448



Measurements

Inner_diameter_di	50
Z Measurement e	4,6

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652142074
Item no GF	4501407830221
Item no GTIN	08698652142074
Item no VVS	186861174

Dimensions

Item Unit Height	122
Item Unit Length	88
Item Unit Weight	0,221
Item Unit Width	88
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601160
Packaging GTIN PL2	06414900266802
Packaging GTIN PL3	06414900051347
Packaging GTIN PL4	06414900246385
Packaging Height PL1	122
Packaging Height PL2	130
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	88
Packaging Length PL2	440
Packaging Length PL3	390

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL3	40
Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000944768
Packaging Volume PL2	0,0050336
Packaging Volume PL3	0,089739
Packaging Volume PL4	1,152
Packaging Weight PL1	0,221
Packaging Weight PL2	1,115
Packaging Weight PL3	9,02
Packaging Weight PL4	237,16
Packaging Width PL1	88
Packaging Width PL2	88
Packaging Width PL3	590
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com