

GF Silenta Premium reducer short eccentric 90-58mm

1146454

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium reducer short eccentric

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium reducer short eccentric 90-58mm

1146454

**Measurements**

Inner_diameter_di	58
Z Measurement e	4,7

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652155777
Item no GF	4501409030221
Item no GTIN	08698652155777
Item no VVS	186860180

Dimensions

Item Unit Height	82
Item Unit Length	95
Item Unit Weight	0,225
Item Unit Width	95
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601245
Packaging GTIN PL2	06414900266901
Packaging GTIN PL3	06414900051408
Packaging GTIN PL4	06414900246446
Packaging Height PL1	82
Packaging Height PL2	95
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	95
Packaging Length PL2	475
Packaging Length PL3	390

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5
Packaging Quantity PL3	60
Packaging Quantity PL4	1440
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00074005
Packaging Volume PL2	0,004286875
Packaging Volume PL3	0,089739
Packaging Volume PL4	1,152
Packaging Weight PL1	0,225
Packaging Weight PL2	1,135
Packaging Weight PL3	13,72
Packaging Weight PL4	349
Packaging Width PL1	95
Packaging Width PL2	95
Packaging Width PL3	590
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com