

GF Silenta premium reducer eccentric 110-78mm

1146460

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium reducer eccentric

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium reducer eccentric 110-78mm

1146460



Measurements

Inner_diameter_di	78
Z Measurement e	5,3

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652134185
Item no GF	4501411030121
Item no GTIN	08698652134185
Item no VVS	186861192

Dimensions

Item Unit Height	142
Item Unit Length	120
Item Unit Weight	0,48
Item Unit Width	120
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900600644
Packaging GTIN PL2	06414900267007
Packaging GTIN PL3	06414900051453
Packaging GTIN PL4	06414900246491
Packaging Height PL1	142
Packaging Height PL2	120
Packaging Height PL3	390
Packaging Height PL4	1200
Packaging Length PL1	120
Packaging Length PL2	480
Packaging Length PL3	390

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Quantity PL3	24
Packaging Quantity PL4	576
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0020448
Packaging Volume PL2	0,009216
Packaging Volume PL3	0,089739
Packaging Volume PL4	1,152
Packaging Weight PL1	0,48
Packaging Weight PL2	1,93
Packaging Weight PL3	11,68
Packaging Weight PL4	301,48
Packaging Width PL1	120
Packaging Width PL2	160
Packaging Width PL3	590
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com