

GF Silenta Premium reducer eccentric 160-135mm

1146470

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta Premium reducer eccentric

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta Premium reducer eccentric 160-135mm

1146470



Measurements

Inner_diameter_di	135
Z Measurement d	160
Z Measurement d1	135
Z Measurement e	5,3
Z Measurement L1	68

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652134222
Item no GF	4501416030121
Item no GTIN	08698652134222
Item no VVS	186861199

Dimensions

Item Unit Height	169
Item Unit Length	172
Item Unit Weight	1,013
Item Unit Width	172
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601740
Packaging GTIN PL2	06414900051552
Packaging GTIN PL4	06414900246590
Packaging Height PL1	169
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	172
Packaging Length PL2	390

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6
Packaging Quantity PL4	144
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,004999696
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	1,013
Packaging Weight PL2	6,078
Packaging Weight PL4	170,872
Packaging Width PL1	172
Packaging Width PL2	290
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

E
communications@georgfischer.
com