

GF Silenta premium reducer eccentric 200-160mm

1146472

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium reducer eccentric

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium reducer eccentric 200-160mm

1146472



Measurements

Inner_diameter_di	160
Z Measurement e	6,2

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652134239
Item no GF	4501420030021
Item no GTIN	08698652134239
Item no VVS	186861205

Dimensions

Item Unit Height	220
Item Unit Length	214
Item Unit Weight	1,636
Item Unit Width	214
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900555180
Packaging GTIN PL2	06414900051576
Packaging GTIN PL4	06414900246613
Packaging Height PL1	220
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	214
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4

Packaging Quantity PL4	96
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,01007512
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	1,636
Packaging Weight PL2	6,544
Packaging Weight PL4	182,056
Packaging Width PL1	214
Packaging Width PL2	290
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com