


GF Silenta standard clamp 58mm

1146505

- Standard clamp for installation of HT-PP products



Application information GF Silenta standard clamp

Specification


- System-certified accessories developed specifically for GF Silenta drainage systems
- Includes fixing components such as acoustic pipe clamps, safety clamps and fastening elements
- Includes sealing and connection components such as gaskets, rubber seals and transition adapters
- Includes fire protection components such as fire-isolating sleeves for wall and floor penetrations
- Designed to preserve the acoustic performance according to EN 14366 when installed correctly
- Supports compliance with relevant fire classification and building regulations depending on application
- Compatible with Silenta pipes, fittings and approved interface systems

Application

- Sound-insulated drainage systems based on GF Silenta Premium and Silenta 3A
- Residential buildings, apartment complexes and high-rise housing
- Commercial and public buildings such as offices, hospitals, schools and hotels
- Industrial buildings with domestic and comparable wastewater applications
- New construction and renovation projects requiring acoustic and fire-compliant drainage solutions

GF Silenta standard clamp 58mm

1146505



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652023809
Item no GF	4501905820082
Item no GTIN	08698652023809
Item no NOBB	60823793
Item no NRF	1486124
Item no RSK	3848141
Item no VVS	186896058

Dimensions

Item Unit Height	30
Item Unit Length	60
Item Unit Weight	0,096
Item Unit Width	60
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553407
Packaging GTIN PL2	06414900051903
Packaging Height PL1	30
Packaging Height PL2	243
Packaging Length PL1	60
Packaging Length PL2	415
Packaging Quantity PL1	1
Packaging Quantity PL2	100
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Volume PL1	0,000108

Packaging Volume PL2	0,02541294
Packaging Weight PL1	0,096
Packaging Weight PL2	9,6
Packaging Width PL1	60
Packaging Width PL2	252

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com