


GF Silenta premium socket plug 58mm

1146507

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium socket plug

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium socket plug 58mm

1146507



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652134376
Item no GF	4501905830021
Item no GTIN	08698652134376
Item no VVS	186863012

Dimensions

Item Unit Height	70
Item Unit Length	68
Item Unit Weight	0,12
Item Unit Width	68
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900552103
Packaging GTIN PL2	06414900267601
Packaging GTIN PL3	06414900051927
Packaging GTIN PL4	06414900246989
Packaging Height PL1	70
Packaging Height PL2	68
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	68
Packaging Length PL2	680
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10

Packaging Quantity PL3	100
Packaging Quantity PL4	2400
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00032368
Packaging Volume PL2	0,00314432
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,12
Packaging Weight PL2	1,2
Packaging Weight PL3	12
Packaging Weight PL4	313
Packaging Width PL1	68
Packaging Width PL2	68
Packaging Width PL3	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,1
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com