


GF Silenta premium socket plug 90mm

1146518

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium socket plug

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium socket plug 90mm

1146518



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652134390
Item no GF	4501909030021
Item no GTIN	08698652134390
Item no VVS	186863014

Dimensions

Item Unit Height	56
Item Unit Length	100
Item Unit Weight	0,242
Item Unit Width	100
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601221
Packaging GTIN PL2	06414900267762
Packaging GTIN PL3	06414900052030
Packaging GTIN PL4	06414900247061
Packaging Height PL1	56
Packaging Height PL2	100
Packaging Height PL3	360
Packaging Height PL4	1200
Packaging Length PL1	100
Packaging Length PL2	500
Packaging Length PL3	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	5

Packaging Quantity PL3	50
Packaging Quantity PL4	1200
Packaging Type PL1	Piece
Packaging Type PL2	Bag
Packaging Type PL3	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00056
Packaging Volume PL2	0,005
Packaging Volume PL3	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,242
Packaging Weight PL2	1,21
Packaging Weight PL3	12,1
Packaging Weight PL4	315,4
Packaging Width PL1	100
Packaging Width PL2	100
Packaging Width PL3	290
Packaging Width PL4	800

Measurements

Z Measurement e	4,7
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com