


GF Silenta premium collector 87,5deg 110-58mm (4xOut)

1146529

- collector fitting for drainage systems
- mineral reinforced plastic construction
- optimized wastewater flow
- suitable for drainage installations



Application information GF Silenta premium collector 87,5deg

Specification


- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium collector 87,5deg 110-58mm (4xOut)

1146529



Status

Item Available From date

2026-02-01

Product code

Item no EAN 8698652143569

Item no GF 4501911031121

Item no GTIN 08698652143569

Item no VVS 186845190

Dimensions

Item Unit Height 210

Item Unit Length 210

Item Unit Weight 1,188

Item Unit Width 210

Item_UOM pce

Packaging

Packaging GTIN PL1 06414900268035

Packaging GTIN PL2 06414900052146

Packaging GTIN PL4 06414900247160

Packaging Height PL1 210

Packaging Height PL2 360

Packaging Height PL4 1200

Packaging Length PL1 210

Packaging Length PL2 390

Packaging Length PL4 1200

Packaging Quantity PL1 1

Packaging Quantity PL2 4

Packaging Quantity PL4 96

Packaging Type PL1 Plastic_Bag

Packaging Type PL2 Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,009261
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,44
Packaging Weight PL1	1,198
Packaging Weight PL2	4,892
Packaging Weight PL4	139,0096
Packaging Width PL1	210
Packaging Width PL2	290
Packaging Width PL4	1000
Measurements	
Z Measurement d2	58
Z Measurement e	5,3

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com