


GF Silenta premium socket plug 160mm

1146538

- Light gray, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta premium socket plug

Specification

- Three-layer polypropylene pipe system manufactured according to EN 1451
- Sound-insulated construction with enhanced mechanical strength
- Pipe diameter range: DN 58 to DN 200
- High chemical and temperature resistance
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Hotels, hospitals, schools and office buildings
- Sustainable and green buildings
- Industrial facilities (short and long-term wastewater use)
- Domestic sewage systems
- Wastewater from kitchens, bathrooms, laundry rooms and sanitary areas

GF Silenta premium socket plug 160mm

1146538



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652134420
Item no GF	4501916030021
Item no GTIN	08698652134420
Item no VVS	186863018

Dimensions

Item Unit Height	88
Item Unit Length	173
Item Unit Weight	0,651
Item Unit Width	173
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553643
Packaging GTIN PL2	06414900052238
Packaging GTIN PL4	06414900247221
Packaging Height PL1	88
Packaging Height PL2	360
Packaging Height PL4	1200
Packaging Length PL1	173
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	12
Packaging Quantity PL4	288
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box

Packaging Type PL4	Pallet
Packaging Volume PL1	0,002633752
Packaging Volume PL2	0,040716
Packaging Volume PL4	1,152
Packaging Weight PL1	0,651
Packaging Weight PL2	7,812
Packaging Weight PL4	212,488
Packaging Width PL1	173
Packaging Width PL2	290
Packaging Width PL4	800

Measurements

Z Measurement e	5,3
-----------------	-----

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com