

GF Silenta 3A pipe with single socket 32x3000mm

1146567

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 32x3000mm

1146567



Status

Item Available From date 2026-02-01

Product code

| | |
|--------------|----------------|
| Item no EAN | 8698652114156 |
| Item no GF | 4604003200621 |
| Item no GTIN | 08698652114156 |
| Item no NOBB | 60823801 |
| Item no NRF | 1486132 |
| Item no RSK | 2749173 |

Dimensions

| | |
|------------------|-------|
| Item Unit Height | 32 |
| Item Unit Length | 3000 |
| Item Unit Weight | 0,685 |
| Item Unit Width | 32 |
| Item_UOM | pce |

Packaging

| | |
|------------------------|----------------|
| Packaging GTIN PL1 | 06414900601337 |
| Packaging GTIN PL4 | 06414900614146 |
| Packaging Height PL1 | 32 |
| Packaging Height PL4 | 527 |
| Packaging Length PL1 | 3000 |
| Packaging Length PL4 | 3092 |
| Packaging Quantity PL1 | 1 |
| Packaging Quantity PL4 | 250 |
| Packaging Type PL1 | Piece |
| Packaging Type PL4 | Wooden_Cage |
| Packaging Volume PL1 | 0,003072 |
| Packaging Volume PL4 | 1,7924324 |

| | |
|----------------------|--------|
| Packaging Weight PL1 | 0,685 |
| Packaging Weight PL4 | 187,25 |
| Packaging Width PL1 | 32 |
| Packaging Width PL4 | 1100 |

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com