


GF Silenta 3A pipe with single socket 40x2000mm

1146571

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A pipe with single socket

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A pipe with single socket 40x2000mm

1146571



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652075624
Item no GF	4604004000521
Item no GTIN	08698652075624
Item no NOBB	60823805
Item no NRF	1486136
Item no RSK	2749177

Dimensions

Item Unit Height	40
Item Unit Length	2000
Item Unit Weight	0,595
Item Unit Width	40
Item_UOM	pce

Measurements

LENGTH_L	2000
Wall thickness_s	16
Z Measurement e	1,8

Packaging

Packaging GTIN PL1	06414900601382
Packaging GTIN PL4	06414900614160
Packaging Height PL1	40
Packaging Height PL4	461
Packaging Length PL1	2000
Packaging Length PL4	2092
Packaging Quantity PL1	1
Packaging Quantity PL4	160

Packaging Type PL1	Piece
Packaging Type PL4	Wooden_Cage
Packaging Volume PL1	0,0032
Packaging Volume PL4	0,964412
Packaging Weight PL1	0,595
Packaging Weight PL4	110,05
Packaging Width PL1	40
Packaging Width PL4	1000

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com