

GF Silenta 3A elbow 15° 32mm

1146642

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 15°

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 15° 32mm

1146642



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652091785
Item no GF	4704103200121
Item no GTIN	08698652091785
Item no NOBB	60823808
Item no NRF	1486139
Item no RSK	2832111

Dimensions

Item Unit Height	90
Item Unit Length	45
Item Unit Weight	0,03
Item Unit Width	45
Item_UOM	pce

Measurements

LENGTH_L	94,6
Z Measurement d	32
Z Measurement d1	32,5
Z Measurement e	1,8
Z Measurement L1	42

Packaging

Packaging GTIN PL1	06414900601498
Packaging GTIN PL2	06414900565783
Packaging GTIN PL4	06414900565790
Packaging Height PL1	90
Packaging Height PL2	400
Packaging Height PL4	944

Packaging Length PL1	45
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	500
Packaging Quantity PL4	2000
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00018225
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,03
Packaging Weight PL2	16,56
Packaging Weight PL4	91,24
Packaging Width PL1	45
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com