

GF Silenta 3A elbow 15° 50mm

1146648

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 15°

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 15° 50mm

1146648



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652033464
Item no GF	4704105000121
Item no GTIN	08698652033464
Item no NOBB	60823813
Item no NRF	1486144
Item no RSK	2832113
Item no VVS	186725050

Dimensions

Item Unit Height	130
Item Unit Length	77
Item Unit Weight	0,046
Item Unit Width	80
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554978
Packaging GTIN PL2	06414900565882
Packaging GTIN PL4	06414900565899
Packaging Height PL1	130
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	77
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	300

Packaging Quantity PL4	1200
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0008008
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,046
Packaging Weight PL2	15,36
Packaging Weight PL4	86,44
Packaging Width PL1	80
Packaging Width PL2	600
Packaging Width PL4	800

Measurements

Wall thickness_s	16
Z Measurement d	50
Z Measurement d1	50
Z Measurement e	1,8
Z Measurement L1	46

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211
E
communications@georgfischer.
com