


GF Silenta 3A elbow 87,5deg 50mm

1146652

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 87,5deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 87,5deg 50mm

1146652



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652001012
Item no GF	4704105000521
Item no GTIN	08698652001012
Item no NOBB	60823817
Item no NRF	1486148
Item no RSK	2832165
Item no VVS	186721050

Dimensions

Item Unit Height	125
Item Unit Length	77
Item Unit Weight	0,084
Item Unit Width	120
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553742
Packaging GTIN PL2	06414900565967
Packaging GTIN PL4	06414900565974
Packaging Height PL1	125
Packaging Height PL2	360
Packaging Height PL4	924
Packaging Length PL1	77
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	140

Packaging Quantity PL4	1120
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001155
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	0,084
Packaging Weight PL2	12,8
Packaging Weight PL4	127,4
Packaging Width PL1	120
Packaging Width PL2	390
Packaging Width PL4	800
Measurements	
Wall thickness_s	16
Z Measurement e	1,8

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com