

GF Silenta 3A elbow 15deg 110mm

1146658

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A elbow 15deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A elbow 15deg 110mm

1146658



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652033525
Item no GF	4704111001121
Item no GTIN	08698652033525
Item no NOBB	60823823
Item no NRF	1486154
Item no RSK	2832120
Item no VVS	186725110

Dimensions

Item Unit Height	161
Item Unit Length	135
Item Unit Weight	0,2
Item Unit Width	138
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601764
Packaging GTIN PL2	06414900566087
Packaging GTIN PL4	06414900566094
Packaging Height PL1	161
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	135
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	60

Packaging Quantity PL4	240
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00299943
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,2
Packaging Weight PL2	13,56
Packaging Weight PL4	79,24
Packaging Width PL1	138
Packaging Width PL2	600
Packaging Width PL4	800
Measurements	
Wall thickness_s	20
Z Measurement e	3,4

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com