


## GF Silenta 3A elbow 87,5deg 160mm

**1146668**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A elbow 87,5deg

#### Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A elbow 87,5deg 160mm

1146668



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652001098
Item no GF	4704116001921
Item no GTIN	08698652001098
Item no NOBB	60823833
Item no NRF	1486164
Item no RSK	2832170
Item no VVS	186721160

### Dimensions

Item Unit Height	254
Item Unit Length	188
Item Unit Weight	1,198
Item Unit Width	265
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900601634
Packaging GTIN PL2	06414900566285
Packaging GTIN PL4	06414900566292
Packaging Height PL1	254
Packaging Height PL2	360
Packaging Height PL4	924
Packaging Length PL1	188
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	6

Packaging Quantity PL4	48
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,01265428
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	1,198
Packaging Weight PL2	8,228
Packaging Weight PL4	90,824
Packaging Width PL1	265
Packaging Width PL2	390
Packaging Width PL4	800
<b>Measurements</b>	
Wall thickness_s	16
Z Measurement e	4,9

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)