


GF Silenta 3A branch 45deg 40-40mm

1146672

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A branch 45deg

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A branch 45deg 40-40mm

1146672



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652074689
Item no GF	4704204000121
Item no GTIN	08698652074689
Item no NOBB	60823837
Item no NRF	1486168
Item no RSK	2831997

Dimensions

Item Unit Height	120
Item Unit Length	55
Item Unit Weight	0,085
Item Unit Width	110
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554800
Packaging GTIN PL2	06414900566360
Packaging GTIN PL4	06414900566377
Packaging Height PL1	120
Packaging Height PL2	243
Packaging Height PL4	1135
Packaging Length PL1	55
Packaging Length PL2	415
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	30
Packaging Quantity PL4	900

Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000726
Packaging Volume PL2	0,02541294
Packaging Volume PL4	1,0896
Packaging Weight PL1	0,085
Packaging Weight PL2	3,03
Packaging Weight PL4	115,9
Packaging Width PL1	110
Packaging Width PL2	252
Packaging Width PL4	800

Measurements

Z Measurement ALPHA	45°
Z Measurement d	40
Z Measurement d1	40,5
Z Measurement L1	42,4
Z measurement m	56,7
Z measurement m1	56,6
z1	7,6
Z2	44,1
Z3	52,8

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com