


## GF Silenta 3A branch 87,5deg 75-50mm

**1146679**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch 87,5deg

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch 87,5deg 75-50mm

1146679



### Status

Item Available From date

2026-02-01

### Product code

Item no EAN	8698652043241
Item no GF	4704207501921
Item no GTIN	08698652043241
Item no NOBB	60823844
Item no NRF	1486175
Item no RSK	2832048
Item no VVS	186731073

### Dimensions

Item Unit Height	180
Item Unit Length	90
Item Unit Weight	0,22
Item Unit Width	135
Item_UOM	pce

### Measurements

Length (l2)	46
Wall thickness_s	16
Z Measurement d2	50
Z Measurement e	2,3

### Packaging

Packaging GTIN PL1	06414900553155
Packaging GTIN PL2	06414900566506
Packaging GTIN PL4	06414900566513
Packaging Height PL1	180
Packaging Height PL2	243
Packaging Height PL4	1135

Packaging Length PL1	90
Packaging Length PL2	415
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	300
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002187
Packaging Volume PL2	0,02541294
Packaging Volume PL4	1,0896
Packaging Weight PL1	0,22
Packaging Weight PL2	2,68
Packaging Weight PL4	105,4
Packaging Width PL1	135
Packaging Width PL2	252
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)