


## GF Silenta 3A branch 87,5deg 110-75mm

**1146686**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch 87,5deg

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch 87,5deg 110-75mm

1146686



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652046815
Item no GF	4704211002221
Item no GTIN	08698652046815
Item no NOBB	60823851
Item no NRF	1486182
Item no RSK	2832051
Item no VVS	186731108

### Dimensions

Item Unit Height	245
Item Unit Length	130
Item Unit Weight	0,62
Item Unit Width	182
Item_UOM	pce

### Measurements

Length (l2)	51
Wall thickness_s	16
Z Measurement d2	75
Z Measurement e	3,4

### Packaging

Packaging GTIN PL1	06414900553797
Packaging GTIN PL2	06414900566643
Packaging GTIN PL4	06414900566650
Packaging Height PL1	245
Packaging Height PL2	360
Packaging Height PL4	924

Packaging Length PL1	130
Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	15
Packaging Quantity PL4	120
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0057967
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,88704
Packaging Weight PL1	0,62
Packaging Weight PL2	10,34
Packaging Weight PL4	107,72
Packaging Width PL1	182
Packaging Width PL2	390
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)