


GF Silenta 3A double branch 45deg 110-50mm

1146689

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A double branch 45deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A double branch 45deg 110-50mm

1146689



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652054391
Item no GF	4704211003221
Item no GTIN	08698652054391
Item no NOBB	60823854
Item no NRF	1486185
Item no RSK	2832089
Item no VVS	186738106

Dimensions

Item Unit Height	200
Item Unit Length	130
Item Unit Weight	0,48
Item Unit Width	255
Item_UOM	pce

Measurements

Length (l2)	46
Wall thickness_s	20
Z Measurement d2	50
Z Measurement e	2,7

Packaging

Packaging GTIN PL1	06414900601870
Packaging GTIN PL2	06414900566704
Packaging GTIN PL4	06414900566711
Packaging Height PL1	200
Packaging Height PL2	360
Packaging Height PL4	864

Packaging Length PL1	130
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	7
Packaging Quantity PL4	112
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00663
Packaging Volume PL2	0,040716
Packaging Volume PL4	0,82944
Packaging Weight PL1	0,48
Packaging Weight PL2	3,93
Packaging Weight PL4	87,88
Packaging Width PL1	255
Packaging Width PL2	290
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com