

## GF Silenta 3A branch 87,5deg 125-125mm

1146696

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch 87,5deg

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch 87,5deg 125-125mm

1146696



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652073460
Item no GF	4704212503921
Item no GTIN	08698652073460
Item no NOBB	60823860
Item no NRF	1486191
Item no RSK	2832056
Item no VVS	186731125

### Dimensions

Item Unit Height	280
Item Unit Length	145
Item Unit Weight	0,75
Item Unit Width	216
Item_UOM	pce

### Measurements

Length (l2)	64
Wall thickness_s	20
Z Measurement d2	125
Z Measurement e	3,1

### Packaging

Packaging GTIN PL1	06414900555128
Packaging GTIN PL2	06414900566827
Packaging GTIN PL4	06414900566834
Packaging Height PL1	280
Packaging Height PL2	360
Packaging Height PL4	864

Packaging Length PL1	145
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	4
Packaging Quantity PL4	64
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0087696
Packaging Volume PL2	0,040716
Packaging Volume PL4	0,82944
Packaging Weight PL1	0,75
Packaging Weight PL2	3,57
Packaging Weight PL4	82,12
Packaging Width PL1	216
Packaging Width PL2	290
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)