


GF Silenta 3A branch 45deg 160-110mm

1146697

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A branch 45deg

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A branch 45deg 160-110mm

1146697



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652001210
Item no GF	4704216001121
Item no GTIN	08698652001210
Item no NOBB	60823861
Item no NRF	1486192
Item no RSK	2832027
Item no VVS	186733157

Dimensions

Item Unit Height	330
Item Unit Length	185
Item Unit Weight	1,6
Item Unit Width	310
Item_UOM	pce

Measurements

Length (l2)	58
Wall thickness_s	16
Z Measurement d2	110
Z Measurement e	4,9

Packaging

Packaging GTIN PL1	06414900553131
Packaging GTIN PL2	06414900566841
Packaging GTIN PL4	06414900566858
Packaging Height PL1	330
Packaging Height PL2	400
Packaging Height PL4	944

Packaging Length PL1	185
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	40
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0189255
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	1,6
Packaging Weight PL2	17,56
Packaging Weight PL4	95,24
Packaging Width PL1	310
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com