


## GF Silenta 3A branch 87,5deg 160-160mm

**1146700**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A branch 87,5deg

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A branch 87,5deg 160-160mm

1146700



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652109060
Item no GF	4704216001421
Item no GTIN	08698652109060
Item no NOBB	60823863
Item no NRF	1486194
Item no RSK	2832061
Item no VVS	186731160

### Dimensions

Item Unit Height	325
Item Unit Length	185
Item Unit Weight	1,813
Item Unit Width	263
Item_UOM	pce

### Measurements

Length (l2)	73
Wall thickness_s	16
Z Measurement d2	160
Z Measurement e	4,9

### Packaging

Packaging GTIN PL1	06414900553186
Packaging GTIN PL2	06414900566889
Packaging GTIN PL4	06414900566896
Packaging Height PL1	325
Packaging Height PL2	400
Packaging Height PL4	944

Packaging Length PL1	185
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	10
Packaging Quantity PL4	40
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,015812875
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	1,813
Packaging Weight PL2	19,69
Packaging Weight PL4	103,76
Packaging Width PL1	263
Packaging Width PL2	600
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)