


GF Silenta 3A access pipe circular 75mm

1146709

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A access pipe circular

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A access pipe circular 75mm

1146709



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652067902
Item no GF	4704311000421
Item no GTIN	08698652067902
Item no NOBB	60823870
Item no NRF	1486201
Item no RSK	2831992
Item no VVS	186746075

Dimensions

Item Unit Height	240
Item Unit Length	100
Item Unit Weight	0,295
Item Unit Width	115
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900553827
Packaging GTIN PL2	06414900612869
Packaging GTIN PL4	06414900612876
Packaging Height PL1	240
Packaging Height PL2	360
Packaging Height PL4	864
Packaging Length PL1	100
Packaging Length PL2	390
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	15

Packaging Quantity PL4	240
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00276
Packaging Volume PL2	0,040716
Packaging Volume PL4	0,82944
Packaging Weight PL1	0,295
Packaging Weight PL2	4,995
Packaging Weight PL4	104,92
Packaging Width PL1	115
Packaging Width PL2	290
Packaging Width PL4	800
Measurements	
Wall thickness_s	20
Z Measurement e	1,9

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com