


GF Silenta 3A access pipe rectangular 160mm

1146710

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A access pipe rectangular

Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A access pipe rectangular 160mm

1146710



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652046839
Item no GF	4704316000221
Item no GTIN	08698652046839
Item no NOBB	60823871
Item no NRF	1486202
Item no RSK	2831995
Item no VVS	186746360

Dimensions

Item Unit Height	413
Item Unit Length	210
Item Unit Weight	4,17
Item Unit Width	210
Item_UOM	pce

Measurements

Length (l2)	275
Length (l3)	195
Wall thickness_s	16
Z Measurement e	4,9

Packaging

Packaging GTIN PL1	06414900601993
Packaging GTIN PL2	06414900612883
Packaging GTIN PL4	06414900612890
Packaging Height PL1	413
Packaging Height PL2	400
Packaging Height PL4	944

Packaging Length PL1	210
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	8
Packaging Quantity PL4	32
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,0182133
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	4,17
Packaging Weight PL2	34,92
Packaging Weight PL4	164,68
Packaging Width PL1	210
Packaging Width PL2	600
Packaging Width PL4	800

Documents

Page with all documents 

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com