


## GF Silenta 3A reducer eccentric 50x40mm

**1146713**

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A reducer eccentric

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A reducer eccentric 50x40mm

1146713



### Measurements

Inner_diameter_di	40
Wall thickness_s	16
Z Measurement e	1,8

### Status

Item Available From date	2026-02-01
--------------------------	------------

### Product code

Item no EAN	8698652074719
Item no GF	4704405000121
Item no GTIN	08698652074719
Item no NOBB	60823874
Item no NRF	1486205
Item no RSK	2832177

### Dimensions

Item Unit Height	116
Item Unit Length	58
Item Unit Weight	0,044
Item Unit Width	58
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900554831
Packaging GTIN PL2	06414900612944
Packaging GTIN PL4	06414900612951
Packaging Height PL1	116
Packaging Height PL2	243
Packaging Height PL4	1116
Packaging Length PL1	58
Packaging Length PL2	215

Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	30
Packaging Quantity PL4	1800
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000390224
Packaging Volume PL2	0,01316574
Packaging Volume PL4	1,07136
Packaging Weight PL1	0,044
Packaging Weight PL2	1,62
Packaging Weight PL4	122,2
Packaging Width PL1	58
Packaging Width PL2	252
Packaging Width PL4	800

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)