


GF Silenta 3A reducer eccentric 125-110mm

1146717

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A reducer eccentric

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A reducer eccentric 125-110mm

1146717



Measurements

Inner_diameter_di	110
Wall thickness_s	20
Z Measurement e	3,1

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652053639
Item no GF	4704412500421
Item no GTIN	08698652053639
Item no NOBB	60823878
Item no NRF	1486209
Item no RSK	2832184
Item no VVS	186751124

Dimensions

Item Unit Height	145
Item Unit Length	135
Item Unit Weight	0,38
Item Unit Width	135
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554619
Packaging GTIN PL2	06414900613026
Packaging GTIN PL4	06414900613033
Packaging Height PL1	145
Packaging Height PL2	360
Packaging Height PL4	864
Packaging Length PL1	135

Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	25
Packaging Quantity PL4	200
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,002642625
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,82944
Packaging Weight PL1	0,38
Packaging Weight PL2	10,54
Packaging Weight PL4	109,32
Packaging Width PL1	135
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com