


GF Silenta 3A reducer eccentric 160-110mm

1146718

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A reducer eccentric

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A reducer eccentric 160-110mm

1146718



Measurements

Inner_diameter_di	110
Wall thickness_s	16
Z Measurement e	4,9

Status

Item Available From date	2026-02-01
--------------------------	------------

Product code

Item no EAN	8698652001135
Item no GF	4704416000521
Item no GTIN	08698652001135
Item no NOBB	60823879
Item no NRF	1486210
Item no RSK	2832188
Item no VVS	186751157

Dimensions

Item Unit Height	180
Item Unit Length	170
Item Unit Weight	0,626
Item Unit Width	170
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554275
Packaging GTIN PL2	06414900613040
Packaging GTIN PL4	06414900613057
Packaging Height PL1	180
Packaging Height PL2	360
Packaging Height PL4	864
Packaging Length PL1	170

Packaging Length PL2	590
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	20
Packaging Quantity PL4	160
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,005202
Packaging Volume PL2	0,082836
Packaging Volume PL4	0,82944
Packaging Weight PL1	0,626
Packaging Weight PL2	13,56
Packaging Weight PL4	133,48
Packaging Width PL1	170
Packaging Width PL2	390
Packaging Width PL4	800

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com