


## GF Silenta 3A socket 40mm

1146721

- Light blue, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A socket

#### Specification


- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A socket 40mm

1146721



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652075686
Item no GF	4704504000121
Item no GTIN	08698652075686
Item no NOBB	60823882
Item no NRF	1486213
Item no RSK	2832204

### Dimensions

Item Unit Height	93
Item Unit Length	55
Item Unit Weight	0,05
Item Unit Width	55
Item_UOM	pce

### Packaging

Packaging GTIN PL1	06414900601832
Packaging GTIN PL2	06414900613101
Packaging GTIN PL4	06414900613118
Packaging Height PL1	93
Packaging Height PL2	400
Packaging Height PL4	944
Packaging Length PL1	55
Packaging Length PL2	800
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	600
Packaging Quantity PL4	2400

Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,000281325
Packaging Volume PL2	0,192
Packaging Volume PL4	0,90624
Packaging Weight PL1	0,05
Packaging Weight PL2	31,56
Packaging Weight PL4	151,24
Packaging Width PL1	55
Packaging Width PL2	600
Packaging Width PL4	800
<b>Measurements</b>	
Z Measurement d	40,4
Z measurement m	45,1
z1	3

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)