


GF Silenta 3A socket plug 75mm

1146739

- Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A socket plug

Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

GF Silenta 3A socket plug 75mm

1146739



Status

Item Available From date 2026-02-01

Product code

Item no EAN	8698652032450
Item no GF	4704907500121
Item no GTIN	08698652032450
Item no NOBB	60823895
Item no NRF	1486226
Item no RSK	2832214
Item no VVS	186753075

Dimensions

Item Unit Height	50
Item Unit Length	85
Item Unit Weight	0,065
Item Unit Width	85
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900601405
Packaging GTIN PL2	06414900613361
Packaging GTIN PL4	06414900613378
Packaging Height PL1	50
Packaging Height PL2	243
Packaging Height PL4	1135
Packaging Length PL1	85
Packaging Length PL2	415
Packaging Length PL4	1200
Packaging Quantity PL1	1
Packaging Quantity PL2	50

Packaging Quantity PL4	1500
Packaging Type PL1	Piece
Packaging Type PL2	Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,00036125
Packaging Volume PL2	0,02541294
Packaging Volume PL4	1,0896
Packaging Weight PL1	0,065
Packaging Weight PL2	3,73
Packaging Weight PL4	136,9
Packaging Width PL1	85
Packaging Width PL2	252
Packaging Width PL4	800
Measurements	
Wall thickness_s	20
Z Measurement e	1,9

Documents

Page with all documents



Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com