


GF Silenta 3A socket plug 125mm

1146743

Light blue, PP-material with inorganic filler, according to EN 1451



Application information GF Silenta 3A socket plug

Specification


- Silenta 3A is a sound-insulating 3-layered soil and wastewater pipe system made of PP material which is specially formulated and reinforced for non-pressurized domestic drainage in accordance with System Standards of DIN EN 1451, DIN 4109 and DIN 4102. Silenta 3A has high performance in all places that require impact, durability and sound protection. The pipe diameters range from 32 mm to 200 mm. The system also includes bases and fittings with additional accessories.

Application

- Office buildings, conference halls, and similar facilities
- Schools, libraries, hospitals, hotels, and residential buildings
- Sustainable and green buildings
- Industrial facilities for both short- and long-term applications

GF Silenta 3A socket plug 125mm

1146743



Status

Item Available From date

2026-02-01

Product code

Item no EAN	8698652130415
Item no GF	4704912508122
Item no GTIN	08698652130415
Item no NOBB	60823897
Item no NRF	1486228
Item no RSK	2832217
Item no VVS	186753125

Dimensions

Item Unit Height	70
Item Unit Length	150
Item Unit Weight	0,068
Item Unit Width	150
Item_UOM	pce

Packaging

Packaging GTIN PL1	06414900554305
Packaging GTIN PL2	06414900117982
Packaging GTIN PL4	06414900249577
Packaging Height PL1	70
Packaging Height PL2	400
Packaging Height PL4	1200
Packaging Length PL1	150
Packaging Length PL2	800
Packaging Length PL4	1300
Packaging Quantity PL1	1
Packaging Quantity PL2	20

Packaging Quantity PL4	960
Packaging Type PL1	Piece
Packaging Type PL2	Medium_Box
Packaging Type PL4	Pallet
Packaging Volume PL1	0,001575
Packaging Volume PL2	0,192
Packaging Volume PL4	1,716
Packaging Weight PL1	0,068
Packaging Weight PL2	1,36
Packaging Weight PL4	90,28
Packaging Width PL1	150
Packaging Width PL2	600
Packaging Width PL4	1100

Measurements

Wall thickness_s	16
Z Measurement e	3,4

Documents

[Page with all documents](#)

Uponor Corporation

Ilmalantori 4
00240, Helsinki
Finland

T +358 (0)20 129 211

www.uponor.com