


## GF Silenta 3A pipe with single socket 125x2000mm

**1147168**

- Light blue, three-layer, PP-material with inorganic filler, according to EN 1451



### Application information GF Silenta 3A pipe with single socket

#### Specification

- Three-layer polypropylene soil and wastewater pipe system
- Compliant with DIN EN 1451, DIN 4109 and DIN 4102
- Designed for non-pressurized domestic drainage
- Pipe diameter range: DN 32 to DN 200
- Complete system including pipes, fittings and accessories

#### Application

- Residential buildings and apartment complexes
- Schools, libraries, hospitals and hotels
- Office buildings, administrative centers and conference facilities
- Sustainable and green building projects
- Industrial facilities, suitable for both short- and long-term wastewater applications

## GF Silenta 3A pipe with single socket 125x2000mm

1147168



### Status

Item Available From date 2026-02-01

### Product code

Item no EAN	8698652163178
Item no GF	4604012510521
Item no GTIN	08698652163178
Item no NOBB	60823922
Item no NRF	1486253
Item no RSK	2749210
Item no VVS	186715200

### Dimensions

Item Unit Height	125
Item Unit Length	2000
Item Unit Weight	3,684
Item Unit Width	125
Item_UOM	pce

### Measurements

LENGTH_L	2000
Length (l1)	64
Z Measurement d	125
Z Measurement d1	125
Z measurement m	64

### Technical data

Recycling Text Block PL4 wooden pallet / pallet di legno

### Packaging

Packaging GTIN PL1	06414900598224
Packaging GTIN PL4	06414900598231
Packaging Height PL1	125

Packaging Height PL4	502
Packaging Length PL1	2000
Packaging Length PL4	2128
Packaging Material (number) PL4	51
Packaging Material PL4	wooden pallet / pallet di legno
Packaging Material (short) PL4	WOOD
Packaging Quantity PL1	1
Packaging Quantity PL4	24
Packaging Type PL1	PIECE
Packaging Type PL4	CAGE
Packaging Volume PL1	0,03125
Packaging Volume PL4	1,15371648
Packaging Weight PL1	3,684
Packaging Weight PL4	104,416
Packaging Width PL1	125
Packaging Width PL4	1080

## Documents

Page with all documents



### Uponor Corporation

Ilmalantori 4  
00240, Helsinki  
Finland

T +358 (0)20 129 211

[www.uponor.com](http://www.uponor.com)